

11. F1
GOVERNMENT OF WEST BENGAL
OFFICE OF THE DIVISIONAL FIRE OFFICER
WEST BENGAL FIRE & EMERGENCY SERVICES
Raiganj, College Para, Pin - 733134

Memo No : IND/WB/FES/20192020/61165

DATE: 16/07/2019

From :

The Divisional Fire Officer
Fire Prevention Wing,
West Bengal Fire & Emergency Services.

To :

Choprajhar Green Valley Academy
Choprajhar Green Valley Academy, Plot no 1079,1081,1082,1083,KH no-
415,746,,Mouza- Dimrula,Islampur, Uttar Dinajpur
Dalkhola F.S., Islampur,
North Dinajpur - 733202 .

Sub :Renewal of Fire Safety Certificate for the occupancy of an existing construction
of G + 2 storied building under group Educational at the premises no.- Choprajhar
Green Valley Academy, Plot no 1079,1081,1082,1083,KH no-415,746,,Mouza-
Dimrula,Islampur, Uttar Dinajpur, Islampur, North Dinajpur - 733202


This is in reference to your Application No. IND/WB/FES/20192020/61165,dated 16/07/2019,
regarding the Renewal of Fire Safety Certificate for the occupancy of an existing construction
of G + 2 storied building under group Educational at the premises no.- Choprajhar Green
Valley Academy, Plot no 1079,1081,1082,1083,KH no-415,746,,Mouza- Dimrula,Islampur,
Uttar Dinajpur, Islampur, North Dinajpur - 733202.

The performance of the Fire Fighting System as incorporated in the buildings were tested at
random and found satisfactorily working condition. In view of the above this office is releasing
the Renewal of Fire Safety Certificate for occupancy of the aforesaid building.

However to up-keep the Fire Safety Measure of the aforesaid building the following safety
measures need to be incorporated / maintained.

- 1.1 Driveway must be free of any type of obstruction for easy movement of Fire Appliances.


Manager
Choprajhar Green
Valley Academy


PRINCIPAL
Choprajhar Green Valley Academy
Dimrulla, Islampur
Affiliation No.- 2430244


No parking will be allowed on the Drive way.

2. The Interior finish decoration of building shall be made with low flame spread material confirming to the I.S. Specification.
3. To eliminate risk of Fire Hazards, Good Housekeeping both for insides and outside of the building shall be strictly maintained.
4. Existing Electrical wiring of the whole building shall have to be carefully checked for any ware and tear in there, particularly lines above false ceiling & ducts.
5. The notice of Fire Fighting and evacuation from the building shall be prepared and displayed at all vulnerable of the building.
6. Mock fire Practice and evacuation drill shall be performed periodically with all staff of the building.
7. A Crew of trained fire man should be maintained round the clock for the safety of the building.
8. Arrangement shall have to make for regular checking and testing of the fire fighting system in the building to keep the system in good working condition.
9. Periodical flashing of water in the Hydrant shall be made to maintain the efficiency of the above mentioned system.
10. The employees and security staff shall be conversant with installed Fire Fighting equipments of the building and to operate in the event of Fire and Testing.
11. The Fire Check Door shall be sealed with rubber sealing properly in order to prevent the percolation of smoke.
12. First-Aid Fire Fighting system shall be provided as per I.S. Specification.
13. If required the old line shall have to be replace with new lines the cables shall always be laid in M.S. conduit pipes continuously bonded to the earth.
14. Transformer and Switch Gear room shall be protected with automatic Co2 or D.C.P. Fire extinction conforming I.S. Specification.
15. The Fire Safety Audit to be conducted at in a regular interval and to record in the Fire Prevention Maintenance register.
16. The Fire Safety Certificate is valid for three years and has to be renewed after three years from the date of issue of this letter.
17. After three years a certificate is to be obtained from the Director General, West Bengal Fire & Emergency Services on the basis of performance of all the Life & Fire Safety arrangements and installations of the building.

Signature valid
Digitally signed by PRABIR
KUMAR RAY
Date: 2019.07.16 11:49:03 IST

Divisional Fire Officer
West Bengal Fire & Emergency Services


Manager
Choprajhar Green
Valley Academy


PRINCIPAL
Choprajhar Green Valley Academy
Dimrulla, Islampur
Affiliation No.- 2430244